

## Safety Data Sheet

## Firestone Building Products Company

**Section 1: Identification of the Substance/Mixture and of the Company/Undertaking****1.1 Product identifier**

<b>Product Name</b>	• <b>Splice Wash SW-100 Cleaner</b>
<b>Synonyms</b>	• Light Aliphatic; Solvent Naptha (Petroleum)
<b>CAS Number</b>	• 64742-89-8
<b>EC Number</b>	• 265-192-2
<b>REACH Pre-Registration Number</b>	• 05-2115991350-46-0000
<b>Product Description</b>	• Thin, light colored liquid, hydrocarbon odor.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

<b>Relevant identified use(s)</b>	• Splice Wash SW-100 is designed to clean and prepare Firestone single ply membranes to receive adhesives as specified by Firestone Specifications and Details.
-----------------------------------	---

**1.3 Details of the supplier of the safety data sheet**

<b>Manufacturer</b>	• Firestone Building Products Company 250 West 96th Street Indianapolis, IN 46260 United States  firestonemsds@bfdp.com
<b>Telephone (General)</b>	• 800-428-4442

**1.4 Emergency telephone number**

<b>Manufacturer</b>	• (800) 424-9300 - CHEMTREC
<b>Manufacturer</b>	• (703) 527-3887 - CHEMTREC - International

**Section 2: Hazards Identification****EU/EEC**

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

**2.1 Classification of the substance or mixture**

<b>CLP</b>	• Flammable Liquids 2 - H225 Aspiration 1 - H304 Skin Irritation 2 - H315 Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335 Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336 Hazardous to the aquatic environment Chronic 2 - H411
<b>DSD/DPD</b>	• Flammable Irritant (Xi) Harmful (Xn) Dangerous to the Environment (N) R38, R65, R67, R11, R51/53

**2.2 Label Elements**

**CLP****DANGER**

- Hazard statements •**
- H225 - Highly flammable liquid and vapour
  - H304 - May be fatal if swallowed and enters airways
  - H315 - Causes skin irritation
  - H335 - May cause respiratory irritation
  - H336 - May cause drowsiness or dizziness
  - H411 - Toxic to aquatic life with long lasting effects

**Precautionary statements**

- Prevention •**
- P261 - Avoid breathing dust, fume, gas, mist, vapours and/or spray.
  - P264 - Wash thoroughly after handling.
  - P273 - Avoid release to the environment.
  - P240 - Ground and/or bond container and receiving equipment.
  - P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

- Response •**
- P321 - Specific treatment, see supplemental first aid information.
  - P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  - P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - P362 - Take off contaminated clothing and wash before reuse.
  - P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- Storage/Disposal •**
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
  - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**DSD/DPD**

- Risk phrases •**
- R38 - Irritating to skin.
  - R65 - Harmful: may cause lung damage if swallowed.
  - R67 - Vapours may cause drowsiness and dizziness.
  - R11 - Highly flammable.
  - R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**2.3 Other Hazards**

- CLP**
- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD**
- This product is considered dangerous according to the European Directive 67/548/EEC.

**UN GHS**

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

**2.1 Classification of the substance or mixture**

- UN GHS**
- Flammable Liquids 2
  - Skin Irritation 2
  - Eye Irritation 2A
  - Aspiration 1
  - Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
  - Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation

Hazardous to the aquatic environment Chronic 2

## 2.2 Label elements

UN GHS

### DANGER



- Hazard statements**
- Highly flammable liquid and vapour
  - Causes skin irritation
  - Causes serious eye irritation
  - May be fatal if swallowed and enters airways
  - May cause respiratory irritation and drowsiness or dizziness
  - Toxic to aquatic life with long lasting effects

### Precautionary statements

- Prevention**
- Avoid breathing dust, fume, gas, mist, vapours and/or spray.
  - Keep container tightly closed.
  - Use only outdoors or in a well-ventilated area.
  - Wash : thoroughly after handling.
  - Wear protective gloves and eye/face protection , .
- Response**
- Specific treatment, see supplemental first aid information.
  - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  - Call a POISON CENTER or doctor/physician if you feel unwell.
  - If skin irritation occurs: Get medical advice/attention.
  - Wash with plenty of soap and water.
  - Take off contaminated clothing and wash before reuse.
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - If eye irritation persists: Get medical advice/attention.
- Storage/Disposal**
- Store in a well-ventilated place. Keep container tightly closed.
  - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## 2.3 Other hazards

UN GHS

- According to the Globally Harmonized System for Classification and Labeling (GHS) this product is considered hazardous.

## United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

- OSHA HCS 1994
- Flammable Liquid
  - Flammable/Combustible Class IB
  - Irritant

### 2.2 Label elements

- OSHA HCS 1994
- Not required

### 2.3 Other hazards

- OSHA HCS 1994
- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

According to: WHMIS

## 2.1 Classification of the substance or mixture

### WHMIS

- Flammable Liquids - B2
- Other Toxic Effects - D2B

## 2.2 Label elements

### WHMIS




- Flammable Liquids - B2
- Other Toxic Effects - D2B

## 2.3 Other hazards

### WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## 2.4 Other information



See Section 12 for Ecological Information.

## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Light aliphatic solvent naphtha	CAS:64742-89-8 EC Number:265-192-2 EINECS:265-192-2	100%	NDA	UN GHS: Eye Irrit 2A, Skin Irrit 2, Asp Tox. 1, STOT SE 3: Narc, STOT SE 3: Resp. Irrit, Flam Liq. 3 EU DSD/DPD: Self Classified Xi R38, Xn R67, R65, N; R51/53, F R11 EU CLP: Self Classified Skin Irrit 2, Asp Tox. 1, STOT SE 3: Narc, Aquatic Chronic 2, Flam Liq. 3	NDA

### 3.2 Mixtures

- Material does not meet the criteria of a mixture according to United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

See Section 11 for Toxicological Information.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if artificial oxygen is administered.

- Skin**
- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. For minor skin contact, avoid spreading material on unaffected skin. Remove and isolate contaminated clothing and shoes. Call 911 or emergency medical service.
- Eye**
- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes.
- Ingestion**
- Do NOT induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Get medical attention immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

## 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician**
- If material is ingested and aspirated into the lungs it may cause chemical pneumonitis. Treat appropriately.

# Section 5 - Firefighting Measures

## 5.1 Extinguishing media

- Suitable Extinguishing Media**
- LARGE FIRE: Water spray, fog or regular foam.  
SMALL FIRES: Dry chemical, CO<sub>2</sub>, water spray or regular foam.

- Unsuitable Extinguishing Media**
- No data available.

## 5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- Heat builds up pressure in closed containers. Cool with water stream. Toxic fumes and vapors may be produced.
- Hazardous Combustion Products**
- Carbon dioxide, carbon monoxide, acrid smoke, irritating fumes.

## 5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.  
Wear positive pressure self-contained breathing apparatus (SCBA).  
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.  
Runoff from fire control may cause pollution.  
LARGE FIRES: Dike fire-control water for later disposal.

# Section 6 - Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.
- Emergency Procedures**
- As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stay upwind. Keep out of low areas. Keep unauthorized personnel away. Ventilate closed spaces before entering.

## 6.2 Environmental precautions

- Avoid run off to waterways and sewers.

## 6.3 Methods and material for containment and cleaning up

### Containment/Clean-up Measures

- **SMALL SPILLS:** Take up with sand or other non-combustible absorbent material and place into containers for later disposal. Use clean non-sparking tools to collect absorbed material. All equipment used when handling the product must be grounded.
- **LARGE SPILLS:** Dike far ahead of spill for later disposal. A vapor suppressing foam may be used to reduce vapors.

## 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- Keep away from heat, sparks, and flame – No Smoking. Keep containers closed. Vapors of this material are heavier than air and will collect in low or confined areas. Containers, even those that have been emptied, can contain explosive vapors. Do not cut, drill, grind, weld or perform similar operations near container. Static electricity may accumulate and create a fire hazard. Take precautionary measures against static charges. Bond and ground all transfer containers and equipment. Use only with adequate ventilation. Do not breathe (dust, vapor or spray mist) Ground fixed equipment.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- Store in a cool/low-temperature, well-ventilated place away from heat and ignition sources. Store locked up. Keep container closed when not in use. Keep away from incompatible materials.

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits/Guidelines

- No exposure limits/guidelines available for the material or the components.

### 8.2 Exposure controls

#### Engineering Measures/Controls

- This adhesive is designed to be used outdoors, in roofing applications. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal Protective Equipment

##### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

##### Eye/Face

- Wear safety glasses.

##### Skin/Body

- Wear appropriate gloves.

#### Environmental Exposure Controls

- In case of spills, keep product clear of sewers, waterways or land areas. Dispose of waste product in accordance with national and local laws and regulations.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Thin, light colored liquid, hydrocarbon odor.
Color	Light color.	Odor	Hydrocarbon
Taste	No data available	Particulate Type	No data available
Particulate Size	No data available	Aerosol Type	No data available
Odor Threshold	No data available	Physical and Chemical Properties	No data available
General Properties			
Boiling Point	247 to 282 °F(119.4444 to 138.8889 °C)	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	Heat of Decomposition	No data available
pH	No data available	Specific Gravity/Relative Density	0.715 to 0.791 Water=1
Density	No data available	Bulk Density	No data available
Water Solubility	No data available	Solvent Solubility	Negligible
Viscosity	No data available	Explosive Properties	No data available
Oxidizing Properties:	No data available		
Volatility			
Vapor Pressure	26 mmHg (torr) @ 100 °F(37.7778 °C)	Vapor Density	3.8 Air=1
Evaporation Rate	1.2 n-Butyl Acetate = 1	VOC (Wt.)	No data available
VOC (Vol.)	No data available	Volatiles (Wt.)	100 %
Volatiles (Vol.)	No data available		
Flammability			
Flash Point	12 °C(53.6 °F) TCC (Tagliabue Closed Cup)	UEL	7 %
LEL	1 %	Autoignition	No data available
Self-Accelerating Decomposition Temperature (SADT)	No data available	Heat of Combustion (ΔHc)	No data available
Burning Time	No data available	Flame Height	No data available
Flame Extension	No data available	Ignition Distance	No data available
Flame Duration	No data available	Flammability (solid, gas)	No data available
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

## 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

## 10.4 Conditions to avoid

- Avoid flames, sparks, or other sources of ignition. Excess heat. Incompatible materials.

## 10.5 Incompatible materials

- Acids, alkalies, strong oxidizers.

## 10.6 Hazardous decomposition products

- Hazardous decomposition will not occur.

# Section 11 - Toxicological Information

## 11.1 Information on toxicological effects

	CAS	
Splice Wash SW-100 Cleaner	64742-89-8	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • >8 g/kg; Inhalation-Rat LC50 • 3400 ppm 4 Hour(s)

GHS Properties	Classification
Acute toxicity	EU/CLP • Data lacking UN GHS • Data lacking
Skin corrosion/Irritation	EU/CLP • Skin Irritation 2 UN GHS • Skin Irritation 2
Serious eye damage/Irritation	EU/CLP • Classification criteria not met UN GHS • Eye Irritation 2A
Skin sensitization	EU/CLP • Data lacking UN GHS • Data lacking
Respiratory sensitization	EU/CLP • Data lacking UN GHS • Data lacking
Aspiration Hazard	EU/CLP • Aspiration 1 UN GHS • Aspiration 1
Carcinogenicity	EU/CLP • Classification criteria not met UN GHS • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Data lacking UN GHS • Data lacking
Toxicity for Reproduction	EU/CLP • Data lacking UN GHS • Data lacking
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects UN GHS • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
STOT-RE	EU/CLP • Data lacking UN GHS • Data lacking

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.

#### Chronic (Delayed)

- No data available.



**Skin**

- Acute (Immediate)** • Causes skin irritation.
- Chronic (Delayed)** • No data available.

**Eye**

- Acute (Immediate)** • Causes serious eye irritation.
- Chronic (Delayed)** • No data available.

**Ingestion**

- Acute (Immediate)** • Material may be aspirated into the lungs during ingestion and/or subsequent vomiting. Aspiration of this material will cause severe lung injury, chemical pneumonitis, pulmonary edema or death.
- Chronic (Delayed)** • No data available.

**Section 12 - Ecological Information****12.1 Toxicity**

	CAS	
Splice Wash SW-100 Cleaner	64742-89-8	<b>Aquatic Toxicity-Crustacea:</b> 21 Day(s) NOEC <i>Daphnia magna</i> 3.8 mg/L

**12.2 Persistence and degradability**

- No data available

**12.3 Bioaccumulative potential**

- No data available.

**12.4 Mobility in Soil**

- No data available.

**12.5 Results of PBT and vPvB assessment**

- No PBT and vPvB assessment has been conducted by the manufacturer.

**12.6 Other adverse effects****Potential Environmental Effects**

- May cause long lasting harmful effects to aquatic life.

**Section 13 - Disposal Considerations****13.1 Waste treatment methods****Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Containers, even those that have been emptied, can contain explosive vapors. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1268	Petroleum distillates, n.o.s. or Petroleum products, n.o.s.	3	II	NDA

<b>TDG</b>	UN1268	PETROLEUM DISTILLATES, N.O.S.; or PETROLEUM PRODUCTS, N.O.S.	3	II	Potential Marine Pollutant
<b>IMO/IMDG</b>	UN1268	Petroleum Distillates, N.O.S	3	II	NDA
<b>ADN</b>	UN1268	PETROLEUM DISTILLATES, N.O.S.	3	II	NDA
<b>ADR/RID</b>	UN1268	PETROLEUM DISTILLATES, N.O.S.	3	II	NDA
<b>IATA/ICAO</b>	UN1268	Petroleum Distillates, N.O.S	3	II	NDA

**14.6 Special precautions for user** • None specified.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** • This product is provided only in non-bulk containers.

## Section 15 - Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

State Right To Know				
Component	CAS	MA	NJ	PA
Light aliphatic solvent naphtha	64742-89-8	No	No	No

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Light aliphatic solvent naphtha	64742-89-8	Yes	No	Yes	Yes	No

Inventory (Con't.)				
Component	CAS	Japan ENCS	Korea KECL	TSCA
Light aliphatic solvent naphtha	64742-89-8	No	Yes	Yes

## Canada

### Labor

#### Canada - WHMIS - Classifications of Substances

• Light aliphatic solvent naphtha 64742-89-8 B2

#### Canada - WHMIS - Ingredient Disclosure List

• Light aliphatic solvent naphtha 64742-89-8 Not Listed

### Environment

#### Canada - CEPA - Priority Substances List

• Light aliphatic solvent naphtha 64742-89-8 Not Listed

## Denmark

### Environment

#### Denmark - List of Undesirable Substances - Product Groups/Function

• Light aliphatic solvent naphtha 64742-89-8 Not Listed

## Europe

**Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

• Light aliphatic solvent naphtha	64742-89-8	Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R65
-----------------------------------	------------	--

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling**

• Light aliphatic solvent naphtha	64742-89-8	T R:45-46-65 S:53-45
-----------------------------------	------------	----------------------

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations**

• Light aliphatic solvent naphtha	64742-89-8	H, P
-----------------------------------	------------	------

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases**

• Light aliphatic solvent naphtha	64742-89-8	S:53-45
-----------------------------------	------------	---------

**Mexico****Other****Mexico - Hazard Classifications**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**Mexico - Regulated Substances**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**United States****Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - OSHA - Specifically Regulated Chemicals**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**United States - California**

**Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - California - Proposition 65 - Developmental Toxicity**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**United States - Pennsylvania****Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**United States - Rhode Island****Labor****U.S. - Rhode Island - Hazardous Substance List**

• Light aliphatic solvent naphtha	64742-89-8	Not Listed
-----------------------------------	------------	------------

**15.2 Chemical Safety Assessment**

- No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

**Section 16 - Other Information****Revision Date**

- 31/March/2016

**Preparation Date**

- 17/July/2008

**Disclaimer/Statement of Liability**

- The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products, a subsidiary of Firestone Diversified Products, LLC, assumes no responsibility for injury to the buyer, the buyer employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of the material, even if reasonable safety procedures are followed.

**Key to abbreviations**

NDA = No Data Available